

Nancy's Notions®

800.833.0690

nancysnotions.com

Snowflake Enchantment Wall Hanging Free Project Instructions

Supplies Needed:

- Amazing Designs® Snowflake Enchantment Embroidery Designs CD with FREE Edit Express™ software for resizing, color editing, and printing templates (ADP-104)
- Picture Perfect Showcase Wall Hanging pattern by *Sewing With Nancy*® (NZPPSP)
- Snowflake Enchantment Rayon Thread Pack (SETPK9)
- Fusible No Show Mesh Stabilizer (FNSM10)
- Hydro-stick™ Tear-away Stabilizer (HTA3)
- Fabrics:
 - 1/4 yd. Fabric A (white tone on tone GS55WHI) [center panel]
 - 1/8 yd. Fabric B (cobalt blue tone on tone FUS72) [middle border, flange trim]
 - 1/4 yd. Fabric C (midnight blue tone on tone FUS69) [inner border, binding]
 - 1/4 yd. Fabric D (glacier blue tone on tone FUS217) [main border]
 - 1/2 yd. muslin (UBM45) [backing, rod pocket]
 - 1/2 yd. batting (PTPY45)

Helpful Tips:

- Stabilize all fabrics, except fabric for binding strips, with spray starch or a starch alternative such as Best Spray Starch Alternative.
- Follow cutting and piecing instructions for the Wall Hanging with Single Fabric Background found in Picture Perfect Showcase Wall Hanging pattern, with these modifications:
 - At the end of Step 2 where pattern indicates “Optional: Add appliqué, hand or machine embroidery, or other embellishments to center and/or borders of the wall hanging”, stabilize entire wall hanging top and embroider center panel first followed by the borders.
 - Remove excess tear-away stabilizer according to stabilizer instructions before continuing with Step 3.
- Use Fusible No Show Mesh Stabilizer in conjunction with Hydro-stick™ Tear-away Stabilizer. First, stabilize the entire wrong side of the pieced fabric with Fusible No Show Mesh Stabilizer. Next, use the Hydro-stick™ Tear-away Stabilizer rather than hooping the fabric. Simply hoop the stabilizer and adhere the fabric to the sticky area of the stabilizer. Economize by using stabilizer on a roll. Instead of cutting the stabilizer to the size of the hoop, keep the stabilizer on the roll when you hoop. After embroidering the first section, carefully tear away the fabric from the stabilizer. Give the stabilizer a quick press to smooth out the wrinkles from the first hooping. Then rehoop the next section of stabilizer and continue embroidering.
- All design components are pictured on the following pages. Each grouping indicates the order in which the various designs making up that grouping should be stitched. In each instance, start with background designs and work toward foreground designs. Some designs are embroidered over portions of other designs.

Helpful Notions:


- Prewound bobbins (PB24W)
- Erasable fabric marking pen (CBE5013 or CPE5012)
- Rotary cutter, mat, and ruler
- Sewer's Fix-It Tape (SFT4) or masking tape
- 1/4" Foot (LF-L) or Patchwork Foot (PWFL2)
- Temporary Spray Adhesive (KK2000)
- Matching all-purpose thread
- Curved Basting Pins, size 1 (CBP2)
- Clear Monofilament Thread (97601001)
- Kwik Klip™ (PJC101)
- Best Press Starch Alternative (BP60031)
- Binding and Hem Clips (BHC136)


Design Layout and Modifications


The guides on the following pages indicate which designs were used, where those designs were placed on the wall hanging, and how the designs were modified (rotated and mirror imaged), as well as the design stitching order. Use the colors specified on the color chart included on the CD unless otherwise noted.

 = Degrees to rotate left


 = Degrees to rotate right

 = Mirror image horizontally

 = Mirror image vertically



Embroider trees and Season's Greetings designs first.
 Next, fill in remaining areas with swirls. Then add snowflakes.



Note: All designs in border were embroidered with all color changes in white, #1001.

Embroider border centers first, followed by corners, then fill in remaining areas.